Printing date 13.10.2017 Version number 302 Revision: 13.10.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Gefäßfüller (unbrennbar) (neu)

· Article number: 4918

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Auxiliary
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Klostermann Chemie GmbH & Co. KG von-dem-Bussche-Münch-Str. 4 32339 Espelkamp

Tel.: 05772/6711 Fax: 05772/6799

www.klostermann-chemie.de

E-Mail: info@klostermann-chemie.de

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number:

Poison Control Center Mainz - 24 hour emergency service - phone: +49 (0) 6131/19240

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 3 H229 Pressurised container: May burst if heated.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

H229 Pressurised container: May burst if heated.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

- E

Printing date 13.10.2017 Version number 302 Revision: 13.10.2017

Trade name: Gefäßfüller (unbrennbar) (neu)

(Contd. of page 1)

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 29118-24-9 ELINCS: 471-480-0 Reg.nr.: 01-0000019758-54-XXXX	R 1234ze Press. Gas L, H280	50-100%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-xxxx	ethanediol STOT RE 2, H373;  Acute Tox. 4, H302	2.5-10%
CAS: 811-97-2 EINECS: 212-377-0 Reg.nr.: 01-2119459374-33	1,1,1,2-tetrafluoroethane  Press. Gas C, H280	2.5-10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Personal protection for the First Aider.
- · After inhalation:

Supply fresh air.

Seek medical treatment in case of complaints.

· After skin contact:

*Immediately wash with water and soap and rinse thoroughly.* 

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

(Contd. on page 3)

Printing date 13.10.2017 Version number 302 Revision: 13.10.2017

Trade name: Gefäßfüller (unbrennbar) (neu)

(Contd. of page 2)

· Additional information Cool endangered receptacles with water spray.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Use only in well ventilated areas.
- · Information about fire and explosion protection:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Protection of hands: Not required.

(Contd. on page 4)

Printing date 13.10.2017 Version number 302 Revision: 13.10.2017

Trade name: Gefäßfüller (unbrennbar) (neu)

(Contd. of page 3)

· Body protection: Protective work clothing

9.1 Information on basic physical and cl	hemical properties
General Information	
Appearance:	
Form:	Aerosol
Colour:	Colourless
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	: Not applicable, as aerosol.
Flash point:	Not applicable, as aerosol.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	368 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure at 20 °C:	4271 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.

Not determined.

Not determined. 100.00 %

No further relevant information available.

1,115.0 g/l

23.92 %

### SECTION 10: Stability and reactivity

· Viscosity: Dynamic:

Kinematic:

VOC (EC) % VOC (EC) g/l

VOCV (CH)

· 9.2 Other information

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

Printing date 13.10.2017 Version number 302 Revision: 13.10.2017

Trade name: Gefäßfüller (unbrennbar) (neu)

(Contd. of page 4)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

Printing date 13.10.2017 Version number 302 Revision: 13.10.2017

Trade name: Gefäßfüller (unbrennbar) (neu)

(Contd. of page 5)

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods:
- · European waste catalogue

16 05 04\* gases in pressure containers (including halons) containing hazardous substances

14.2 UN proper shipping name ADR UN1950 AEROSOLS IMDG AEROSOLS, non-flammable  14.3 Transport hazard class(es)  ADR  Class Label 2.5 A Gases. Label 2.2  IMDG, IATA  Class 2.2  Label 2.2  14.4 Packing group ADR, IMDG, IATA  Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user  Warning: Gases.	· 14.1 UN-Number	
ADR  AEROSOLS AEROSOLS AEROSOLS, non-flammable  14.3 Transport hazard class(es)  ADR  Class  Label  Class  Label  2.2  IMDG, IATA  Class  Label  2.2  14.4 Packing group ADR, IMDG, IATA  Void  14.5 Environmental hazards:  14.6 Special precautions for user Danger code (Kemler):  EMS Number:  Slowage Code  Warning: Gases.  - Danger code (Kemler):  EMS Number:  Slowage Code  Suppose	· ADR, IMDG, IATA	UN1950
IMDG IATA  AEROSOLS, non-flammable  III.3 Transport hazard class(es)  ADR  Class  2 5A Gases. 2.2  IMDG, IATA  Class  2.2  IMDG, IATA  Class  2.2  IMDG, IATA  Class  2.2  IA.4 Packing group  ADR, IMDG, IATA  Void  II.4.5 Environmental hazards:  Not applicable.  II.4.6 Special precautions for user  Danger code (Kemler):  EMS Number:  Stowage Code  Swy Protected from sources of heat.  Swy For AEROSOLS with a maximum capacity of 1 litr.  Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  SGG9 For AEROSOLS with a maximum capacity of 1 litr.  Category A. For AEROSOLS with a maximum capacity of 1 litr.  Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  SGG9 For AEROSOLS with a maximum capacity of 1 litr.  Segregation Code  Segregation Code  Segregation of class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.  II.7 Transport in bulk according to Annex II of	· 14.2 UN proper shipping name	
ALATA AEROSOLS, non-flammable  14.3 Transport hazard class(es)  ADR  Class 2 5A Gases. 2.2  IMDG, IATA  Class 2.2  Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): - EMS Number: F-D,S-U  Stowage Code SW1 Protected from sources of heat. SW2 For AEROSOLS with a maximum capacity of 1 lin Category A. For AEROSOLS with a capacity above 1 lin Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 lin Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of	$\cdot ADR$	
Class 2 5A Gases. Label 2.2  IMDG, IATA  Class 2.2  Label 2.2  IMDG, IATA  Class 2.2  Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): F-D,S-U  Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category A. For AEROSOLS with a capacity above 1 lith Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 lither Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS with a capacity above 1 lither Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS Segregation as for the appropriate subdivision of class 2.	· IMDG	
Class 2.2 IMDG, IATA  Class 2.2 IMDG, IATA  Class 2.2 Label 2.2 IA4-Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): F-D,S-U EMS Number: Stowage Code SWI Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lits Category A. For AEROSOLS with a capacity above 1 lits Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 lits Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capaci above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· IATA	AEROSOLS, non-flammable
Class 2.2  IMDG, IATA  Class 2.2  IMDG, IATA  Class 2.2  Label 2.2  14.4 Packing group  ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user  Danger code (Kemler):  EMS Number: F-D,S-U  Stowage Code SWI Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 lith Category A. For AEROSOLS with a capacity above 1 lith Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 lith Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity of 1 lith Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· 14.3 Transport hazard class(es)	
Label 2.2  Class 2.2  Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler):	· ADR	
Label 2.2  Class 2.2  Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler):		
Class Label  Class Label  2.2  14.4 Packing group ADR, IMDG, IATA  Void  14.5 Environmental hazards:  Not applicable.  14.6 Special precautions for user Danger code (Kemler): EMS Number:  Stowage Code  SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS: Category C, Cle of living quarters.  Segregation Code  Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of		
Label 2.2  Class 2.2  Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler):		
Class Label  Class Label  2.2  14.4 Packing group ADR, IMDG, IATA  Void  14.5 Environmental hazards:  Not applicable.  14.6 Special precautions for user Danger code (Kemler): EMS Number:  Stowage Code  Swarning: Gases.	2	
Class Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): EMS Number: Slowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity of 1 lith Segregation as for the appropriate subdivision of class 2.	· Class	
Class Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity of 1 lith Segregation as for class 9. Stow The appropriat subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· Label	2.2
Class Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity of 1 lith Segregation as for class 9. Stow The appropriat subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· IMDG, IATA	
Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS with a capacity above 1 litt Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacabove 1 litre: Segregation as for the appropriat subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.		
Label 2.2  14.4 Packing group ADR, IMDG, IATA Void  14.5 Environmental hazards: Not applicable.  14.6 Special precautions for user Danger code (Kemler): EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS with a capacity above 1 litt Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacabove 1 litre: Segregation as for the appropriat subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.		
14.4 Packing group ADR, IMDG, IATA  14.5 Environmental hazards:  Not applicable.  14.6 Special precautions for user  Danger code (Kemler):  EMS Number:  Stowage Code  SW1 Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 litr  Category A. For AEROSOLS with a capacity above 1 litr  Category B. For WASTE AEROSOLS: Category C, Cle  of living quarters.  Segregation Code  SG69 For AEROSOLS with a maximum capacity of 1 litr  Segregation as for class 9. Stow "separated from" class  except for division 1.4. For AEROSOLS with a capaci  above 1 litre: Segregation as for the appropria  subdivision of class 2. For WASTE AEROSOL  Segregation as for the appropriate subdivision of class 2.	· Class	
ADR, IMDG, IATA  14.5 Environmental hazards:  Not applicable.  14.6 Special precautions for user  Danger code (Kemler):  EMS Number:  Stowage Code  SW1 Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 lith  Category A. For AEROSOLS with a capacity above 1 lith  Category B. For WASTE AEROSOLS: Category C, Cle  of living quarters.  Segregation Code  SG69 For AEROSOLS with a maximum capacity of 1 lith  Segregation as for class 9. Stow "separated from" class  except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL  Segregation as for the appropriate subdivision of class 2.	· Label	2.2
14.5 Environmental hazards:  Not applicable.  14.6 Special precautions for user  Danger code (Kemler):  EMS Number:  Stowage Code  SW1 Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 litted Category A. For AEROSOLS with a capacity above 1 litted Category B. For WASTE AEROSOLS: Category C, Clestof living quarters.  Segregation Code  Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· 14.4 Packing group	
14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· ADR, IMDG, IATA	Void
Danger code (Kemler):  EMS Number:  Stowage Code  SW1 Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 litt  Category A. For AEROSOLS with a capacity above 1 litt  Category B. For WASTE AEROSOLS: Category C, Cle  of living quarters.  Segregation Code  Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· 14.5 Environmental hazards:	Not applicable.
EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS with a capacity above 1 litt Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· 14.6 Special precautions for user	Warning: Gases.
Stowage Code  SWI Protected from sources of heat.  SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS with a capacity above 1 litt Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code  Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.	· Danger code (Kemler):	-
SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS with a capacity above 1 litt Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code  SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacabove 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.		· · · · · · · · · · · · · · · · · · ·
Category A. For AEROSOLS with a capacity above 1 litt Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code  SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of	· Stowage Code	
Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.  Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of		
of living quarters.  Segregation Code  SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of		
Segregation Code  SG69 For AEROSOLS with a maximum capacity of 1 litt Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropriat subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of		
Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capac above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of	· Secrecation Code	
except for division 1.4. For AEROSOLS with a capace above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2.  14.7 Transport in bulk according to Annex II of	Segregation code	
above 1 litre: Segregation as for the appropria subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of		
subdivision of class 2. For WASTE AEROSOL Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of		above 1 litre: Segregation as for the appropria
14.7 Transport in bulk according to Annex II of		subdivision of class 2. For WASTE AEROSOL
		Segregation as for the appropriate subdivision of class 2.
	· 14.7 Transport in bulk according to Ann	Segregation as for

(Contd. on page 7)

 Printing date 13.10.2017
 Version number 302
 Revision: 13.10.2017

Trade name: Gefäßfüller (unbrennbar) (neu)

	(Cor	itd. of page
· Transport/Additional information:		
$\cdot$ ADR		
· Limited quantities (LQ)	1L	
$\cdot$ Excepted quantities $(EQ)$	Code: E0	
	Not permitted as Excepted Quantity	
· Transport category	3	
· Tunnel restriction code	E	
· IMDG		
· Limited quantities (LQ)	1L	
· Excepted quantities (EQ)	Code: E0	
· · <del>-</del>	Not permitted as Excepted Quantity	
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.2	

# SECTION 15: Regulatory information

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aerosol 3: Aerosols - Category 3

Press. Gas C: Gases under pressure - Compressed gas

Press. Gas L: Gases under pressure - Liquefied gas

Acute Tox. 4: Acute toxicity - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

EU